



ZASILACZ BUFOROWY LINIOWY  
BUFFER LINEAR POWER SUPPLY UNIT


MODEL: PWB-8-12.8V/1.2A/1/1E-7R-17Ah/MC  
TYPE: A  
POWER RATING: 12.8V / 1.2A  
POWER SUPPLY: AC 230V / 0.45A  
(-15% / +10%) / 50-60Hz  
POWER FACT: > 0.95  
POWER RATIO: 100%  
POWER LOSS: P<sub>max</sub> 42W MAX.  
INPUT VOLTAGE: DC 12.8V / ±3.8V / 3A MAX.  
OUTPUT VOLTAGE: 12.8V / 3.8A MAX.  
17Ah / 12V (8Ah)  
II Class / Class II  
T<sub>a</sub> = 10°C + 40°C

CE  
RoHS  
RECYCLED






BARIERI


Producent:  Pulsar  
ul. Piłsudskiego 10  
14-1000 Białystok, Polska  
tel. +48 85 744 22 00  
www.pulsar.com.pl

**OBUDOWA**

Typ: 10TRP400SPR/AAT  
Symbol: AWO206AAT  
Zasilanie: ~230V/50Hz  
Moc znamionowa: 40VA  
Ciepota: 17Ar

CE A8012 





HYFOT  
REF A  
L1416  
REF A  
L22  
L23  
L24  
L25  
L26  
L27  
L28  
L29  
L30  
L31  
L32  
L33  
L34  
L35  
L36  
L37  
L38  
L39  
L40  
L41  
L42  
L43  
L44  
L45  
L46  
L47  
L48  
L49  
L50  
L51  
L52  
L53  
L54  
L55  
L56  
L57  
L58  
L59  
L60  
L61  
L62  
L63  
L64  
L65  
L66  
L67  
L68  
L69  
L70  
L71  
L72  
L73  
L74  
L75  
L76  
L77  
L78  
L79  
L80  
L81  
L82  
L83  
L84  
L85  
L86  
L87  
L88  
L89  
L90  
L91  
L92  
L93  
L94  
L95  
L96  
L97  
L98  
L99  
L100

ZASILACZ AC/AC  
AC/AC ADAPTOR  
TRP 40/16/18 40VA  
CE  
www.pulsarsc.com.pl

INPUT/PRV	OUTPUT/SEC
~230V 50/60Hz 2000VA	18V 2A 16V 2.2A 0











